kreussler
TEXTILE CARE




## Lanadol ABAC

**Disinfectant for outerwear, nursing home ware, protective clothing, and gas masks.**
**For disinfection of the rinsing zone in continuous batch washers.**

## Characteristics

- Lanadol ABAC is suited for the disinfection of delicate textiles that cannot be treated with conventional disinfection procedures (e.g. peracetic acid)
- Lanadol ABAC can be used for the disinfection of the rinsing zone and press of continuous batch washers
- Lanadol ABAC has a broad microbicidal spectrum of activity against Gram-positive and Gram-negative bacteria and yeasts
- Lanadol ABAC has good wetting properties, is resistant to hard water and gives textiles antistatic properties as well as having a slight retexturing effect
- Lanadol ABAC can be used in combination with Lanadol APRET
- Lanadol ABAC is also suited for washing procedures with other Kreussler gentle and colour wash processes
- Skin compatibility proven by dermatological tests (dermatological certificate)

## Chemical-physical data

| | |
|---|---|
| **Appearance:** | Clear, light yellow liquid |
| **Density:** | 0.94 g/ml |
| **Viscosity:** | 120–220 mPa·s |
| **pH value:** | 6–7.5 (5 g/l (0.7oz/gal) (approx. pH=7) |
| **Solubility:** | Unlimited in water |
| **Flash point:** | > 100 °C (212 °F) |

## Application

**For washable textiles 20–40 °C (68–104 °F)**

Recommended concentration: 0.4–1 ml Lanadol ABAC per litre (0.51ozfl/gal) of liquor

## Listings and norms

**Yeasticidal properties according to**

**DIN EN 1650:** 5 min | 20 °C (68 °F) | dosage 0.4 ml/l (0.0512 ozfl/gal)

**Bactericidal properties according to**

**DIN EN 1276:** 5 min | 20 °C (68 °F) | dosage 0.4 ml/l (0.0512 ozfl/gal)

**Virucidal properties according to**

**DIN EN 14476:2016**
**Murine norovirus (MNV):** 5 min | 30 °C (86 °F) | 1ml/l (0.128 ozfl/gal)

**Use biocides safely. Always read the label and product information before use.**

## Use and Storage

In closed containers, Lanadol ABAC has a minimum shelf life of 24 months.

After exposure to frost, allow Lanadol ABAC to warm up to a temperature of approx. 15 °C (59 °F) before use.

Expiration date: 24 months after date of manufacture.

All the details given are correct to the best of our knowledge. They must be adjusted to suit operating conditions. We accept no liability in respect of this information.

Chemische Fabrik Kreussler + Co GmbH, Postfach 12 04 54, D-65082 Wiesbaden, Tel. +49 (0) 611 9271-0, Fax +49 (0) 611 9271-111
www.kreussler-chemie.com, www.kreussler.com, mailto: info@kreussler.com