Safety Data Sheet
according to WHS Regulations

Printing date 07.11.2026 Version number 13 Revision: 07.11.2026

* 1 Identification

· **Product identifier**

· **Trade name: Clip Presorb**

· **Article number:** 2020
· **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
· **Application of the substance / the mixture**
Drycleaning booster for the first bath with good soil removing- and excellent bad smell absorbing properties.
For use in perchlorethylene and hydrocarbon.

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
· **Manufacturer**
Chemische Fabrik Kreussler & Co. GmbH
Rheingaustraße 87-93, D-65203 Wiesbaden
Tel. +49 (0) 611 9271-0
· **Supplier**
Spencer Systems
2/142 Riverstone Parade
Riverstone NSW 2765
Australia

· **Further information obtainable from:**
Spencer Systems
Daniel Hays
2/142 Riverstone Pde
Riverstone, NSW, 2765
Australia
· **Emergency telephone number:**
+61 (0) 2 9679 1244 (9am – 5pm AEDT)
Poisons information centre – 13 11 26 from anywhere in Australia

2 Hazard(s) Identification

· **Classification of the substance or mixture**

Skin Irrit. 2	H315 Causes skin irritation.
Eye Dam. 1	H318 Causes serious eye damage.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

· **Label elements**
· **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
· **Hazard pictograms**



GHS05

· **Signal word** Danger
· **Hazard statements**
Causes skin irritation.
Causes serious eye damage.
Harmful to aquatic life with long lasting effects.
· **Precautionary statements**
Avoid release to the environment.
Wear protective gloves / eye protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 1)

If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.

· **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

* 3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**
· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

64742-55-8	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1, H304	15-30%
112-34-5	2-(2-butoxyethoxy)ethanol Serious eye damage/irritation – Category 2A, H319	5-15%
68411-30-3	Benzenesulfonic acid, C10-13 - alkyl derivs., sodium salts Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	5-15%
157627-86-6	Aliphatic alcohol, C13-15, predominantlylinear, ethoxylated Serious eye damage/irritation – Category 2A, H319; Aquatic Chronic 3, H412	5-15%
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315	5-15%
68603-38-3	Amides, C16-18 and C18-unsatd., N,N-bis(hydroxyethyl) Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319	1-5%
157627-86-6	Alcohols C13-C15 branched and linear,ethoxylated Eye Dam. 1, H318; Acute Tox. 4, H302; Aquatic Chronic 3, H412	1-5%
120313-48-6	alcohols C12 – C15 ethoxylated, propoxylated Aquatic Acute 1, H400; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	1-5%
3811-73-2	pyridine-2-thiol 1-oxide, sodium salt Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; Acute Tox. 4, H332	≤0.1%

· **Ingredients according to detergent regulation EC 648/2004**

anionic surfactants, non-ionic surfactants	≥15 - <30%
perfumes, preservation agents (pyridine-2-thiol 1-oxide, sodium salt, BENZISOTHIAZOLINONE, Mixture of 5-Chloro-2-methyl-isothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one with magnesium chloride and magnesium nitrate)	<5%

· **Additional information:**
For the wording of the listed hazard phrases refer to section 16.
The mineral oils in the product contain <3% DMSO extract (IP 346).

4 First Aid Measures

· **General information:** Immediately remove any clothing soiled by the product.
· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:**
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
Immediately rinse with water.
· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
· **After swallowing:** If symptoms persist consult doctor.
· **Information for doctor:**
· **Most important symptoms and effects, both acute and delayed**
No further relevant information available.

(Contd. on page 3)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 2)

· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
· **Special hazards arising from the substance or mixture** No further relevant information available.
· **Protective equipment:** No special measures required.

6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
· **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and Storage

· **Handling:**
· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about fire - and explosion protection:** No special measures required.
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:**
Store under lock and key and with access restricted to technical experts or their assistants only.
· **Storage class:** 12
· **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

· **Additional information about design of technical facilities:** No further data; see section 7.
· **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**		
112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	long term/systemic effects	1.3 mg/kg (Consumers)
Dermal	long term/systemic effects	10 mg/kg (Consumers)
		20 mg/kg (Workers)
Inhalative	long term/systemic effects	5 mg/m³ (Consumers)
	long term/local effects	5 mg/m³ (Consumers)
		5 mg/m³ (Workers)
	Acute/local effects	7.5 mg/m³ (Consumers)

(Contd. on page 4)

Safety Data Sheet
according to WHS Regulations

Printing date 07.11.2026 Version number 13 Revision: 07.11.2026

Trade name: Clip Presorb

(Contd. of page 3)

		15 mg/m³ (Workers)
97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts		
Oral	long term/systemic effects	7.1 mg/kg (general public)
Dermal	short term/local effects	2.8 mg/m³ (general public)
		2.8 mg/m³ (Workers)
	long term/systemic effects	3.57 mg/kg/Day (general public)
		5 mg/kg/Day (Workers)
Inhalative	long term/systemic effects	12.4 mg/m³ (general public)
		35 mg/m³ (Workers)
Irritation of skin	long term/local effects	2.8 mg/cm² (general public)
		2.8 mg/cm² (Workers)
68603-38-3 Amides, C16-18 and C18-unsatd., N,N-bis(hydroxyethyl)		
Oral	long term/systemic effects	6.25 mg/kg (Consumers)
Dermal	long term/systemic effects	2.5 mg/kg/Day (Consumers)
		4.16 mg/kg/Day (Workers)
Inhalative	long term/systemic effects	21.73 mg/m³ (Consumers)
		73.44 mg/m³ (Workers)

· **PNECs**

112-34-5 2-(2-butoxyethoxy)ethanol	
Aqua	0.1 mg/l (Marine water)
	1 mg/l (Freshwater)
Boden	0.4 mg/kg dw (Soil)
	0.4 mg/kg dw (Marine water)
	4 mg/kg dw (Freshwater)
97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts	
Aqua	0.004 mg/l (Marine water)
	0.04 mg/l (freshwater)
Sediment	9.4 mg/kg (Soil)
	0.94 mg/kg (Marine water)
	9.4 mg/kg (freshwater)
68603-38-3 Amides, C16-18 and C18-unsatd., N,N-bis(hydroxyethyl)	
Aqua	830 mg/l (Sewage treatment plant)
	0.0007 mg/l (Marine water)
	0.007 mg/l (freshwater)
Boden	0.0998 mg/kg dw (Soil)
	0.2111 mg/kg dw (Marine water)

· **Additional information:** The lists valid during the making were used as basis.
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and food.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
· **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 4)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**
PVC or PE gloves
Recommended thickness of the material: ≥ 0.4 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and Chemical Properties

· **General Information**	
· **Appearance:**	
· **Form:**	Fluid
· **Colour:**	Yellow
· **Odour:**	Characteristic
· **Odour threshold:**	Not determined.
· **pH-value at 20 °C:**	6.6
· **Change in condition**	
· **Melting point/freezing point:**	Undetermined.
· **Initial boiling point and boiling range:**	Undetermined.
· **Flash point:**	Not applicable.
· **Flammability (solid, gas):**	Not applicable.
· **Decomposition temperature:**	Not determined.
· **Ignition temperature:**	Product is not selfigniting.
· **Explosive properties:**	Product does not present an explosion hazard.
· **Explosion limits:**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Vapour pressure:**	Undetermined.
· **Density at 20 °C:**	1.02 g/cm³
· **Relative density**	Not determined.
· **Vapour density**	Not determined.
· **Evaporation rate**	Not determined.
· **Solubility in / Miscibility with**	
· **water:**	Fully miscible.
· **Partition coefficient: n-octanol/water:**	Not determined.
· **Viscosity:**	
· **Dynamic at 20 °C:**	55 mPas

(Contd. on page 6)

Safety Data Sheet
according to WHS Regulations

Printing date 07.11.2026 Version number 13 Revision: 07.11.2026

Trade name: Clip Presorb

(Contd. of page 5)

· **Kinematic:**	Not determined.
· **Solvent content:**	
· **Organic solvents:**	0.1 %
· **Other information**	No further relevant information available.

10 Stability and Reactivity

· **Reactivity** No further relevant information available.
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
No decomposition if used and stored according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

· **Information on toxicological effects**
· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**		
ATE (Acute Toxicity Estimates)		
Oral	LD-50	10,698 mg/kg (rat)

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic		
Oral	LD-50	>5,000 mg/kg (rat)
Dermal	LD-50	>3,000 mg/kg (rabbit)
112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD-50	3,384 mg/kg (rat)
Dermal	LD-50	2,700 mg/kg (rabbit)
68411-30-3 Benzenesulfonic acid, C10-13 - alkyl derivs., sodium salts		
Dermal	LD-50	>2,000 mg/kg (rat)
157627-86-6 Aliphatic alcohol, C13-15, predominantlylinear, ethoxylated		
Oral	LD-50	>5,000 mg/kg (rat)
Dermal	LD-50	>2,000 mg/kg (rat) (OECD 402)
97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts		
Oral	LD-50	1,200 mg/kg (rat) (OECD Prüfrichtlinie 401)
Dermal	LD-50	>2,000 mg/kg (mouse)
157627-86-6 Alcohols C13-C15 branched and linear,ethoxylated		
Oral	LD-50	1,150 mg/kg (rat)
120313-48-6 alcohols C12 – C15 ethoxylated, propoxylated		
Oral	LD-50	>5,000 mg/kg (rat)

· **Skin corrosion/irritation** Causes skin irritation.
· **Serious eye damage/irritation** Causes serious eye damage.
· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 6)

12 Ecological Information

· **Toxicity**

· **Aquatic toxicity:**	
112-34-5 2-(2-butoxyethoxy)ethanol	
EC-10 (17 h)	1,170 mg/l (Pseudomonas putida)
EC-50 24h	2,850 mg/l (Daphnia magna)
LC-50 96h	1,300 mg/l (Lepomis macrochirus)
NOEC (96h)	>100 mg/l (Desmodesmus subspicatus)
68411-30-3 Benzenesulfonic acid, C10-13 - alkyl derivs., sodium salts	
LC-50 48 h	2.4 mg/L (Daphnia magna)
EC-50 48h	2.9 mg/l (Daphnia magna)
EC-50 96h	29 mg/l (Pseudokirchneriella subscapitata)
LC-50 96h	1.67 mg/l (Lepomis macrochirus)
157627-86-6 Aliphatic alcohol, C13-15, predominantlylinear, ethoxylated	
EC-10 16 h	>10,000 mg/L (Pseudomonas putida)
EC-50 48h	0.1-1 mg/l (Daphnia magna) (Richtlinie 79/831/EWG)
EC-50 72h	0.1-1 mg/l (Scenedesmus subspicatus) (OECD 201)
LC-50 96h	1-10 mg/l (Brachydanio rerio)
97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts	
LC-50	1-10 mg/l (Zebrabärbling) (OECD 203)
EC-50	9.81 mg/l (Daphnia magna) (OECD 202)
EC-50 72h	>61 mg/l (Scenedesmus subspicatus)
NOEC (16 h)	600 mg/L (Pseudomonas putida) (DIN 38412 T.8)
NOEC (56 d)	470 mg/kg (Eisenia fetida) (OECD 222)
157627-86-6 Alcohols C13-C15 branched and linear,ethoxylated	
EC-10	>1,000 mg/L (Belebtschlamm)
EC-50 48h	1-10 mg/l (Daphnia magna) (Literaturangabe)
EC-50 72h	1-10 mg/l (Scenedesmus subspicatus) (Literaturangabe)
LC-50 96h	1-10 mg/l (Brachydanio rerio)
120313-48-6 alcohols C12 – C15 ethoxylated, propoxylated	
EC-10 72h	0.1-1 mg/l (Scenedesmus subspicatus) (OECD 201)
EC-50 48h	1 mg/l (Daphnia magna) (OECD 202)
EC-50 72h	0.1-1 mg/l (Scenedesmus subspicatus) (OECD 201)
LC-50 96h	1-10 mg/l (Leuciscus idus) (OECD 203)
NOEC 21 d	0.1-1 mg/l (Daphnia magna)
3811-73-2 pyridine-2-thiol 1-oxide, sodium salt	
EC-50 48h	0.022 mg/l (Daphnia magna) (OECD 202)
EC-50 96h	0.00767 mg/l (Oncorhynchus mykiss) (OECD 203)
EC-50 72h	0.46 mg/l (Selenastrum capricomutum) (OECD 201)
NOEC (72 h)	0.08 mg/l (Selenastrum capricomutum) (OECD 201)

· **Persistence and degradability** No further relevant information available.
· **Behaviour in environmental systems:**
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Ecotoxical effects:**
· **Remark:** Very toxic for fish
· **Additional ecological information:**
· **General notes:**
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal

(Contd. on page 8)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 7)

of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Do not allow product to reach ground water, water course or sewage system.
Also poisonous for fish and plankton in water bodies.
The product may not be released into the environment without control.
Very toxic for aquatic organisms

· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation** Dispose of in accordance with Local, State, and Federal Regulations.

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

· **UN-Number** · **ADG, ADN, IMDG, IATA**	Void
· **UN proper shipping name** · **ADG, ADN, IMDG, IATA**	Void
· **Transport hazard class(es)** · **ADG, ADN, IMDG, IATA** · **Class**	Void
· **Packing group** · **ADG, IMDG, IATA**	Void
· **Environmental hazards:** · **Marine pollutant:**	No
· **Special precautions for user**	Not applicable.
· **Transport in bulk according to Annex II of Marpol and the IBC Code**	Not applicable.
· **UN "Model Regulation":**	Void

* 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Industrial Chemicals**
All ingredients are listed.

· **Standard for the Uniform Scheduling of Medicines and Poisons**

112-34-5	2-(2-butoxyethoxy)ethanol	S5
106-24-1	geraniol	S6
5392-40-5	Citral	S5

· **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 9)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 8)

· **Hazard pictograms**



GHS05

· **Signal word** Danger
· **Hazard statements**
Causes skin irritation.
Causes serious eye damage.
Harmful to aquatic life with long lasting effects.
· **Precautionary statements**
Avoid release to the environment.
Wear protective gloves / eye protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
NK	≤1

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
The information of Items 4 through 8 and 10 through 12 partially refers not to the use and the proper application of the product (see Directions for Use/Product Information) but to the release of larger quantities in the case of accidents and irregularities.
The information exclusively describes the safety requirements of the product(s) and is based on the present state of our experience.
Non-ionic tensides can have varying characteristics and classifications despite same CAS-No.

· **Relevant phrases**
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
· **Contact:**
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent

(Contd. on page 10)

Safety Data Sheet
according to WHS Regulations

Trade name: Clip Presorb

(Contd. of page 9)

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**