Safety Data Sheet
according to WHS Regulations

Printing date 07.11.2026 Version number 36 Revision: 07.11.2026

* 1 Identification

· **Product identifier**

· **Trade name: Deprit Professional 2**

· **Article number:** 2298
· **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
· **Application of the substance / the mixture**
Paint, oil , grease, lacquer remover – postspotting agent for textile cleaning

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
· **Manufacturer**
Chemische Fabrik Kreussler & Co. GmbH
Rheingaustraße 87-93, D-65203 Wiesbaden
Tel. +49 (0) 611 9271-0
· **Supplier**
Spencer Systems
2/142 Riverstone Parade
Riverstone NSW 2765
Australia

· **Further information obtainable from:**
Spencer Systems
Daniel Hays
2/142 Riverstone Pde
Riverstone, NSW, 2765
Australia
· **Emergency telephone number:**
+61 (0) 2 9679 1244 (9am – 5pm AEDT)
Poisons information centre – 13 11 26 from anywhere in Australia

* 2 Hazard(s) Identification

· **Classification of the substance or mixture**

Flam. Liq. 3	H226 Flammable liquid and vapour.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Dam. 1	H318 Causes serious eye damage.
STOT SE 3	H336 May cause drowsiness or dizziness.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

· **Label elements**
· **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
· **Hazard pictograms**



GHS02 GHS05 GHS07

· **Signal word** Danger
· **Hazard statements**
Flammable liquid and vapour.
Causes skin irritation.
Causes serious eye damage.
May cause drowsiness or dizziness.
Harmful to aquatic life with long lasting effects.
· **Precautionary statements**
Avoid breathing mist/vapours/spray.
Wear protective gloves / eye protection.

(Contd. on page 2)

Safety Data Sheet
according to WHS Regulations

Printing date 07.11.2026 Version number 36 Revision: 07.11.2026

Trade name: Deprit Professional 2

(Contd. of page 1)

IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.

· **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

* 3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**
· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**		
123-86-4	n-butyl acetate Flam. Liq. 3, H226; STOT SE 3, H336	15-30%
112-07-2	2-butoxyethyl acetate Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Flam. Liq. 4, H227	15-30%
112-34-5	2-(2-butoxyethoxy)ethanol Serious eye damage/irritation – Category 2A, H319	5-15%
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315	5-15%
577-11-7	Sulfosuccinat-sodiumsalt Eye Dam. 1, H318; Skin Irrit. 2, H315	1-5%
69011-36-5	alcohols C13 branched, ethoxylated Eye Dam. 1, H318; Acute Tox. 4, H302	1-5%

· **Ingredients according to detergent regulation EC 648/2004**	
anionic surfactants	≥5 - <15%
non-ionic surfactants, preservation agents (Mixture of 5-Chloro-2-methyl-isothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one with magnesium chloride and magnesium nitrate)	<5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

* 4 First Aid Measures

· **Description of first aid measures**
· **General information:** Immediately remove any clothing soiled by the product.
· **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:**
Rinse with warm water.
If skin irritation continues, consult a doctor.
· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
· **After swallowing:** Call for a doctor immediately.
· **Information for doctor:**
· **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

(Contd. on page 3)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 2)

* 5 Fire Fighting Measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Carbon monoxide (CO)
· **Advice for firefighters**
· **Protective equipment:**
Use normal protective clothing.
Mouth respiratory protective device.
· **Additional information**
Cool endangered receptacles with water spray.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

* 6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
· **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and Storage

· **Handling:**
· **Precautions for safe handling**
Store in cool, dry place in tightly closed receptacles.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:**
Keep container tightly sealed.
Store under lock and key and with access restricted to technical experts or their assistants only.
· **Storage class:** 3
· **Specific end use(s)** No further relevant information available.

* 8 Exposure controls and personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 4)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 3)

· **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**	
123-86-4 n-butyl acetate (15-30%)	
WES	Short-term value: 950 mg/m³, 200 ppm Long-term value: 713 mg/m³, 150 ppm
112-07-2 2-butoxyethyl acetate (15-30%)	
WES	Short-term value: 333 mg/m³, 50 ppm Long-term value: 133 mg/m³, 20 ppm Sk

· **DNELs**

123-86-4 n-butyl acetate		
Oral	long term/systemic effects	3.4 mg/kg (general public)
Dermal	long term/systemic effects	3.4 mg/kg/Day (general public)
		7 mg/kg/Day (Workers)
Inhalative	long term/systemic effects	12 mg/m³ (general public)
		48 mg/m³ (Workers)
112-07-2 2-butoxyethyl acetate		
Oral	long term/systemic effects	4.3 mg/kg (Consumers)
	Acute/systemic effects	18 mg/kg (Consumers)
Dermal	long term/systemic effects	36 mg/kg/Day (Consumers)
		102 mg/kg/Day (Workers)
	Acute/systemic effects	27 mg/kg (Consumers)
		102 mg/kg (Workers)
Inhalative	long term/systemic effects	67 mg/m³ (Consumers)
		133 mg/m³ (Workers)
	Acute/systemic effects	499 mg/m³ (Consumers)
		775 mg/m³ (Workers)
	Acute/local effects	166 mg/m³ (Consumers)
		333 mg/m³ (Workers)
112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	long term/systemic effects	1.3 mg/kg (Consumers)
Dermal	long term/systemic effects	10 mg/kg (Consumers)
		20 mg/kg (Workers)
Inhalative	long term/systemic effects	5 mg/m³ (Consumers)
	long term/local effects	5 mg/m³ (Consumers)
		5 mg/m³ (Workers)
	Acute/local effects	7.5 mg/m³ (Consumers)
		15 mg/m³ (Workers)
97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts		
Oral	long term/systemic effects	7.1 mg/kg (general public)
Dermal	short term/local effects	2.8 mg/m³ (general public)
		2.8 mg/m³ (Workers)
	long term/systemic effects	3.57 mg/kg/Day (general public)
		5 mg/kg/Day (Workers)
Inhalative	long term/systemic effects	12.4 mg/m³ (general public)
		35 mg/m³ (Workers)
Irritation of skin	long term/local effects	2.8 mg/cm² (general public)
		2.8 mg/cm² (Workers)

(Contd. on page 5)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 4)

577-11-7 Sulfosuccinat-sodiumsalt		
Oral	long term/systemic effects	18.8 mg/kg (Consumers)
Dermal	long term/systemic effects	18.8 mg/kg/Day (Consumers)
		31.3 mg/kg/Day (Workers)
Inhalative	long term/systemic effects	13 mg/m³ (Consumers)
		44.1 mg/m³ (Workers)

· **PNECs**

123-86-4 n-butyl acetate	
Aqua	35.6 mg/l (Sewage treatment plant)
	0.018 mg/l (Marine water)
	0.18 mg/l (Freshwater)
Sediment	0.0903 mg/kg (Soil)
	0.0981 mg/kg (Marine water)
112-07-2 2-butoxyethyl acetate	
Aqua	0.0304 mg/l (Marine water)
	0.304 mg/l (freshwater)
	0.56 mg/l (intermittent release)
Sediment	0.203 mg/kg (Marine water)
	2.03 mg/kg (freshwater)
Sewage treatment plant	90 mg/L (Sewage treatment plant)
Boden	0.68 mg/kg dw (Soil)
112-34-5 2-(2-butoxyethoxy)ethanol	
Aqua	0.1 mg/l (Marine water)
	1 mg/l (Freshwater)
Boden	0.4 mg/kg dw (Soil)
	0.4 mg/kg dw (Marine water)
	4 mg/kg dw (Freshwater)
97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts	
Aqua	0.004 mg/l (Marine water)
	0.04 mg/l (freshwater)
Sediment	9.4 mg/kg (Soil)
	0.94 mg/kg (Marine water)
	9.4 mg/kg (freshwater)
577-11-7 Sulfosuccinat-sodiumsalt	
Aqua	122 mg/l (Sewage treatment plant)
	0.0007 mg/l (Marine water)
	0.0066 mg/l (freshwater)
Sediment	0.0653 mg/kg (Marine water)
	0.653 mg/kg (freshwater)
Boden	0.138 mg/kg dw (Soil)

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Do not eat, drink, smoke or sniff while working.
Keep away from foodstuffs, beverages and food.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

(Contd. on page 6)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 5)

· **Respiratory protection:**
Not necessary if room is well-ventilated.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
PVC or PE gloves
Recommended thickness of the material: ≥ 0.4 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Not suitable are gloves made of the following materials:**
Leather gloves
Strong material gloves
· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

*
9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**	
· **General Information**	
· **Appearance:**	
Form:	Fluid
Colour:	Colourless
· **Odour:**	Characteristic
· **Odour threshold:**	Not determined.
· **pH-value at 20 °C:**	7.4
· **Change in condition**	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
· **Flash point:**	36 °C (ASTMD93(PMCC))
· **Flammability (solid, gas):**	Flammable.
· **Decomposition temperature:**	Not determined.
· **Auto-ignition temperature:**	Product is not selfigniting.
· **Explosive properties:**	Product does not present an explosion hazard.

(Contd. on page 7)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 6)

· **Explosion limits:**	
Lower:	Not determined.
Upper:	Not determined.
· **Vapour pressure:**	Not determined.
· **Density at 20 °C:**	0.97 g/cm³
· **Relative density**	Not determined.
· **Vapour density**	Not determined.
· **Evaporation rate**	Not determined.
· **Solubility in / Miscibility with water:**	Emulsifiable.
· **Partition coefficient: n-octanol/water:**	Not determined.
· **Viscosity:**	
Dynamic at 20 °C:	5 mPas
Kinematic:	Not determined.
· **Solvent content:**	
Organic solvents:	20.7 %
· **Other information**	No further relevant information available.

* 10 Stability and Reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
No decomposition if used and stored according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

* 11 Toxicological Information

· **Information on toxicological effects**
· **Acute toxicity**

· **LD/LC50 values relevant for classification:**		
ATE (Acute Toxicity Estimates)		
Oral	LD-50	>5,425-6,606 mg/kg (rat)
Dermal	LD-50	7,500 mg/kg (bunny)
Inhalative	LC-50/4 h	55 mg/l

123-86-4 n-butyl acetate		
Oral	LD-50	10,760 mg/kg (rat) (OECD 423)
Dermal	LD-50	>14,112 mg/kg (bunny) (OECD 402)
Inhalative	LC-50/4 h	23.4 mg/l (rat) (OECD 403)
112-07-2 2-butoxyethyl acetate		
Oral	LD-50	1,880 mg/kg (rat)
Dermal	LD-50	1,500 mg/kg (bunny)
112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD-50	3,384 mg/kg (rat)
Dermal	LD-50	2,700 mg/kg (bunny)

(Contd. on page 8)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 7)

97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts		
Oral	LD-50	1,200 mg/kg (rat) (OECD Prüfrichtlinie 401)
Dermal	LD-50	>2,000 mg/kg (mouse)
577-11-7 Sulfosuccinat-sodiumsalt		
Oral	LD-50	3,000 mg/kg (rat) (OECD 401)
Dermal	LD-50	>10,000 mg/kg (rabbit) (OECD 402)
69011-36-5 alcohols C13 branched, ethoxylated		
Oral	LD-50	1,000-2,000 mg/kg (rat)

· **Primary irritant effect:**
· **Skin corrosion/irritation** No irritant effect.
· **Serious eye damage/irritation** Strong irritant with the danger of severe eye injury.
· **Respiratory or skin sensitisation** No sensitising effects known.
· **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Harmful
Irritant

* 12 Ecological Information

· **Toxicity**

· **Aquatic toxicity:**	
123-86-4 n-butyl acetate	
EC-50 48h	44 mg/l (Daphnia magna)
EC-50 72h	647.7 mg/l (Desmodesmus subspicatus)
LC-50 96h	18 mg/l (Pimephales promelas) (OECD 203)
NOEC	200 mg/l (Desmodesmus subspicatus)
IC50 (40h)	356 mg/l (Tetrahymena)
112-07-2 2-butoxyethyl acetate	
EC-50 48h	37 mg/l (Daphnia magna)
EC-50 72h	1,570 mg/l (Pseudokirchneriella subscapitata)
LC-50 96h	28 mg/l (Oncorhynchus mykiss)
112-34-5 2-(2-butoxyethoxy)ethanol	
EC-10 (17 h)	1,170 mg/l (Pseudomonas putida)
EC-50 24h	2,850 mg/l (Daphnia magna)
LC-50 96h	1,300 mg/l (Lepomis macrochirus)
NOEC (96h)	>100 mg/l (Desmodesmus subspicatus)
97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts	
LC-50	1-10 mg/l (Zebrabärbling) (OECD 203)
EC-50	9.81 mg/l (Daphnia magna) (OECD 202)
EC-50 72h	>61 mg/l (Scenedesmus subspicatus)
NOEC (16 h)	600 mg/L (Pseudomonas putida) (DIN 38412 T.8)
NOEC (56 d)	470 mg/kg (Eisenia fetida) (OECD 222)
577-11-7 Sulfosuccinat-sodiumsalt	
EC-10 16 h (static)	122 mg/L (Pseudomonas putida)
EC-50 16h (static)	164 mg/l (Pseudomonas putida)
EC-50 48h	6.6 mg/l (Daphnia magna)
LC-50 96h	49 mg/l (Brachydanio rerio)
NOEC (56 d)	>104 mg/kg (Eisenia fetida) (OECD 222)
ErC-50 72h	82.5 mg/l (Desmodesmus subspicatus)

(Contd. on page 9)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 8)

69011-36-5 alcohols C13 branched, ethoxylated	
LC-50 96h	1-10 mg/l (Leuciscus idus)

· **Persistence and degradability** No further relevant information available.
· **Other information:** The product is biodegradable.
· **Behaviour in environmental systems:**
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Additional ecological information:**
· **General notes:**
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Do not allow product to reach ground water, water course or sewage system.
The product may not be released into the environment without control.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation** Dispose of in accordance with Local, State, and Federal Regulations.

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

* 14 Transport information

· **UN-Number**	
· **ADG, IMDG, IATA**	UN1993
· **UN proper shipping name**	
· **ADG**	1993 FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATES)
· **IMDG, IATA**	FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATES)
· **Transport hazard class(es)**	
· **ADG, IMDG, IATA**	
· **Class**	3 Flammable liquids.
· **Label**	3
· **Packing group**	
· **ADG, IMDG, IATA**	III
· **Environmental hazards:**	
· **Marine pollutant:**	No
· **Special precautions for user**	Warning: Flammable liquids.
· **Hazard identification number (Kemler code):**	30
· **EMS Number:**	F-E,S-E
· **Stowage Category**	A
· **Transport in bulk according to Annex II of Marpol and the IBC Code**	Not applicable.

(Contd. on page 10)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 9)

· **Transport/Additional information:**	
· **ADG**	
· **Limited quantities (LQ)**	5L
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· **Transport category**	3
· **Tunnel restriction code**	D/E
· **IMDG**	
· **Limited quantities (LQ)**	5L
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· **UN "Model Regulation":**	UN 1993 FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATES), 3, III

* 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Industrial Chemicals**

All ingredients are listed.

· **Standard for the Uniform Scheduling of Medicines and Poisons**

112-34-5	2-(2-butoxyethoxy)ethanol	S5

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS05 GHS07

· **Signal word** Danger

· **Hazard statements**
Flammable liquid and vapour.
Causes skin irritation.
Causes serious eye damage.
May cause drowsiness or dizziness.
Harmful to aquatic life with long lasting effects.

· **Precautionary statements**
Avoid breathing mist/vapours/spray.
Wear protective gloves / eye protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category** P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

(Contd. on page 11)

Safety Data Sheet
according to WHS Regulations

(Contd. of page 10)

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
NK	15-30

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
The information of Items 4 through 8 and 10 through 12 partially refers not to the use and the proper application of the product (see Directions for Use/Product Information) but to the release of larger quantities in the case of accidents and irregularities.
The information exclusively describes the safety requirements of the product(s) and is based on the present state of our experience.
Non-ionic tensides can have varying characteristics and classifications despite same CAS-No.

· **Relevant phrases**
H226 Flammable liquid and vapour.
H227 Combustible liquid.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H336 May cause drowsiness or dizziness.

· **Contact:**

· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Flam. Liq. 4: Flammable liquids – Category 4
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**